# CXOUSIC collection




# REBECCA LAMINATES

8-A National Highway (Morbi-Kandla Highway), At Bahadurgadh, Morbi - 363642. Dist.: Morbi, Gujarat - India.

Cell: +91 97129 62848 www.rebeccalaminates.com info@rebeccalaminates.com



OXQUISITO collection



# CXOUISITC Collection







# CXOUISITC collection



Surfaces by rebecca laminates Exquisite collection is all you are Looking for this festive season. Glam up your house with us













# Its all about design and creativity

Rebecca Laminates, India's Leading Brand Of Laminates Presents To You, These High Quality Laminates Have The Same Colour Decorative Surface As The Core Layer, Giving These Laminates A Uniform Look.

Ideal For Your Retail And Commercial Spaces, They Ensure That While Your Interiors Look Sharp, The Edges Between Two Laminates Are Smooth.

Established In The Year 2011, "REBECCA LAMINATES" A Leading Organization Engaged In Laminates Manufacturing, Supplying And Exporting A Wide Assortment Of Decorative Laminate Sheets To Our Customer With Highest Customer Satisfaction.















# splendid combination foryour living

# **MISSION**

We want to challenge the traditional market norms and set global benchmarks with thorough improvements and advancements. Also, we plan to improvise in the technology sector to create technically sound products pertaining to international standards along with maintaining our customer base and creating customer-friendly concepts.







SPLENDID
COMBINATION
FOR YOUR
LIVING

# **VISION**

We aspire to outgrow ourselves and set new standards to explore each day along with exploring new avenues around the globe and creating a strong dealership network. Our clear vision also includes incorporating latest techniques and designs as per the constantly emerging trends of the indigenous, overseas and international market

superior design sensation for your every decor





9205 FT Metal Grey

9214 FT Silk Crema



9221 FT Mocha Brown

9223 FT Lovender

9200 FT Alaska White


9207 FT Sky Blue

Preview of: 9217 FT






9212 FT Sega Green



9217 FT Dusky Rose







9220 WF Mocha



Preview of: 9204 WF







9202 WF Forest Blue



9206 WF Powder Blue

9211 WF President Blue

9203 WF Imperial Blue

9201 WF Infinity Grey




BOLD & BEAUTIFUL






9218 ZM Caramal




9219 ZM Elephant Grey



9215 ZM Rosted Pink





9209 ZM Turquoise Green

9216 ZM Blossom Pink



Preview of: 9209 ZM & 9216 ZM


# HIGH GLOSS ...





Preview of : 101 HG & 122 HG







# fine art of living and working with features so great, it will just change the way you live or work everyday.



# TUFF GLOSS ....







9029 TG Frost Grey



187 TG Spruce Blue



186 TG Anchore Blue



9026 TG Ash Grey

9031 TG

Stone Grey



9030 TG Warm Grey



9024 TG


Cloudy Grey

9025 TG Jet Grey




Preview of: 9030 TG











182 TG Mayan Beige



183 TG
Taupe Brown




| **184 TG** | Patina Pink










9020 TG
Bisque Salmon



Autumn Pink

9037 TG
Dusty Rose

# blame it on your refined taste whenever you instantly pick up the wheat from the chaff. won't you?




# TUFF GLOSS



9013 TG Opal White





Sepia Gold

961 TG 962 TG Fair White Papper Beige




9014 TG Soft Creama



9038 TG

Decent Beige



9022 TG Peannut Brown



Sepia Brown



Preview of: 9014 TG



9015 TG

Cosmic Latte

9017 TG Bisque Beige




9016 TG

Spice Beige


9032 TG Canyon Rock

9200 TG Alaska White



9201 TG Infinity Grey

Forest Blue




9203 TG Imperial Blue




9206 TG Powder Blue Metal Grey




Preview of: 9209 TG



9207 TG Sky Blue




9211 TG President Blue



9208 TG Turquoise Light



Turquoise Green



9210 TG Cobalt Blue

9212 TG Sega Green

9223 TG

Lovender

9215 TG

Rosted Pink


# bold, beautiful and barely sorry as gorgeously as possible, it will remain at the center of attention



# TUFF GLOSS ....


9214 TG

Silk Crema




9219 TG

Elephant Grey



9204 TG


Wallnut Brown




Preview of: 9223 TG

# SUEDE FINISH...







9200 ZM Alaska White





864 DW Jackson hickory



| Preview of : 864 DW



863 DW Jackson hickory









Inspired by nature

give your space a whole new identity with something superlative









988 DW Limbali Pine

989 DW Hawalian Koa


851 DW Basralocus Basralocus 852 DW Alstonia





122 SF


Silver Grey





Preview of : 866 DW

865 DW Yalta Cherry





861 ZO Sienna Teak


9016 ZO Spice Beige

105 ZO Frosty White

855 ZO Scarlet Oak













838 SB Globosa Grey



843 SB Yellow Malletty












849 LB Brown Mallet





850 LB Black Locust





986 LB Zombie Adler





989 LB Hawalian Koa



**ZERO TENON** 



# an antidote to monotony an absolute remedy for the space that badly need complete make over











948 ZT Antique Cherry



947 ZT Burnt Rosewood

868 ZT Catalonia Ruster





# surrender to the superlative it's not what goes into the design, it's what comes out of it. feel it.







Preview of: 859 ZT

858 ZT Fair Timber





859 ZT Scorched Teak


861 ZT Sienna Teak

9214 TG Silk Crema

1834 AS Fancy Steel

1835 ZM Fancy Steel











1835 FT Fancy Steel















1834 TG Fancy Steel 1835 TG Fancy Steel

1923 ZL Carmel Grey


# Escape to some dreamscapes

quite unapologetically, show the world what your dreams are made of.













1821 ZL Carrara Marbelly




# **NATUREL**















Preview of : 1821 NM & 1924 SM




1923 SM Carmel Grey



1924 SM Carmel Black



1821 NM Carrara Marbelly











1924 HG Carmel Black




1833 HG Mithra Grey



1832 HG Erkon Grey








1827 HG Franch Terry








1831 HG Pastel Dior






1828 SY Culcutta Marble


































1831 SM Pastel Dior

















9220 TG Mocha



845 H LR Cattalina Pitch



843 H LR Yellow Malletty

# made to mesmerize

a high-caliber extravaganza of design caliber, specially made for you.









839 HK Globosa Teak





Preview of : 839 HK




















989 AS Hawalian Koa

125 AS Steel Grey

866 AS Yalta Cherry



























863 CY Jackson hickory







837 CY Celosia Argentea











850 SV Black Locust













948 SV Antique Cherry





SELVIA

947 SV Burnt Rosewood

100% IMPORTED DESIGN PAPER



# icon of your social status create a completely new perspective about the world that you've build





861 SV Sienna Teak











867 SV Catalonia Ruster

868 SV Catalonia Ruster





862 SV Imperia Pear















868 TG Catalonia Ruster







865 TG Yalta Cherry





862 TG Imperia Pear





863 TG | Jackson hickory













863 ZM Jackson hickory
















The star performer

always on the duty to please countless people every day, without any demand.
















843 VL Yellow Malletty











822 TN White Basswood


























855 DK Scarlet Oak





9215 TG Rosted Pink



9214 TG Silk Crema





947 DK Burnt Rosewood



946 DK Ruskin Walnut





105 SO Frosty White



838 SO Globosa Grey



839 H-HO Globosa Teak



837 H-HO Celosia Argentea



947 MR Burnt Rosewood



946 MR Ruskin Walnut



857 SY Murk Timber



856 SY Rhine Timber



861 SY Sienna Teak



# **DACRON**





**581 AM** Zambia Dark





IMPORTED DESIGN PAPER



822 DC White Basswood



73 74



823 DC American Basswood











852 HG Alstonia



843 HG Yellow Malletty








988 HG | Limbali Pine



860 HG Ecru Teak



861 HG Sienna Teak



842 H-HG Slippery Brown



838 H-HG Globosa Grey
















866 SF | Yalta Cherry










864 SF Jackson Hickory




857 SF Murk Timber























860 SF Ecru Teak



847 SF | Monte Verde




































841 SF Slippery Natural

# DESIGN PAPER ( **INDEX**

Design No.	Texture	Page No.
101	HG MT	11
101	SF	18
101	MT CORE	18
101	HG CORE	18
105	HG	11
105	MT SF	12 18
105	MT CORE	18
105	HG CORE	18
105	ZO	26
105	SO	71
105	AM	73
122	HG SF	11
122	GS	46
122	AS	53
122	VL	65
125	HG	11
125	SF GS	18 46
125	AS	53
125	VL	65
180	HG	11
180	SF	18
181	MT	12
181	TG SF	14
182	MT	12
182	TG	14
182	SF	18
183	MT	12
183	TG SF	14 18
184	MT	12
184	TG	14
184	SF	18
185	MT	12
185	TG SF	14 18
186	MT	12
186	TG	13
186	SF	18
187	MT	12
187	TG SF	13
581	AM	73
581	SF	80
822	TN	67
822	DC	74
822	SF	80
823 823	TN DC	67 74
823	SF	80
837	CY	56
837	Н НО	71
837	SF	81
838	SB SO	28 71
838	HG	76
838	SF	81
839	НК	52
839	н но	71
839	SF	81
841	SF SO	82 71
842	HG	76
842	SF	82
843	SB	28
843	H LR	50
843	VL HG	65 75
843 843	HG SF	75 82
845	H LR	50
845	SF	81
846	MR	72

Design No.	Texture	Page No.
847	LW	66
847	MR	72
847	SF	79
848	TN LB	68
849	SV	57
850	LB	29
850	SV	57
851	DW	21
851 852	HG DW	75 21
852	HG	75
853	LW	66
853	TN	68
854	TN	67
854 854	DK SF	69 82
855	Z0	25
855	TN	67
855	DK	69
855	SF	82
856	CY	55
856 856	SY HG	72 75
856	SF	79
857	CY	55
857	SY	72
857	HG	75
857 858	SF ZT	79 34
858	SF	79
859	ZT	34
859	SF	79
860	SV	59
860 860	HG SF	76 80
861	ZO	26
861	ZT	33
861	SV	59
861	SY	72
861	HG	76
861 862	SF LB	30
862	CY	55
862	SV	60
862	TG	62
862	ZM	63
862 863	SF DW	78 19
863	CY	56
863	TG	61
863	ZM	63
863	SF	78
864	CY	20 56
864	TG	61
864	ZM	63
864	SF	78
865	DW	23
865	ZO LR	27
865 865	HK	49 51
865	AS	54
865	TG	62
865	SF	77
866	DW	24
866	ZO	27
866 866	LR HK	49 51
866	AS	54
866	TG	62
866	SF	77
867	LB	29
867	ZT SV	32
867	SV	60

Design No.	Texture	Page No.
867	ZM SF	64
868	LB	29
868	ZT	31
868	SV	60
868	TG	61
868	ZM	64
868	SF	77
946	DK SF	70 81
947	ZT	32
947	SV	59
947	DK	70
947	SF	81
948	ZT	32
948	SV	58 68
948	SF	79
961	TG	15
961	GS	46
962	TG	15
962	GS	46
983	SV	58
983	SF	82
984	SV	58
984	TN LB	68
986	SV	57
988	DW	22
988	LW	66
988	HG	76
989	DW	22
989	LB	30
989	AS	53
1821	ZL NM	38
1821	HG	41
1823	ZL	38
1823	SM	40
1823	HG	43
1823	NM	48
1824	GM	39
1824	SM	40
1824	HG	43
1825	GM HG	39 43
1827	GM	39
1827	HG	43
1828	HG	41
1828	SY	45
1828	NM	48
1829	SY	45
1829	SM	48
1830	HG SY	44
1831	HG	44
1831	SY	44
1831	SM	47
1832	HG	42
1832	SY	45
1832	NM	47
1833	HG	42
1833	SY	45 47
1834	AS	35
1834	FT	35
1834	TG	36
1834	ZM	36
1835	AS	35
1835	FT	35
1835	TG	36
1835	ZM	36
1923	ZL HG	37 42
1923	ZL	37

1924

5 · N		D N
Design No.	Texture	Page No.
1925	ZL HG	38 41
1925	GS	46
9011	TG	13
9012	TG	14
9013	TG	15
9014	TG	15
9015	TG TG	15 15
9016	ZO	26
9017	TG	15
9020	TG	14
9022	TG	15
9024	TG TG	13
9025	TG	13
9028	TG	13
9029	TG	13
9030	TG	13
9031	TG	13
9031	ZO TG	27 15
9032	TG	14
9037	TG	14
9038	TG	15
9039	TG	15
9039	ZO	27
9040	TG	15
9200	FT WF	5 8
9200	ZM	9
9200	TG	16
9201	WF	8
9201	TG	16
9202	WF	8
9202	TG WF	16 8
9203	TG	16
9204	WF	7
9204	TG	16
9204	TG	17
9205 9205	FT TG	5 16
9206	WF	8
9206	TG	16
9207	FT	6
9207	TG	16
9208	ZM	9
9208	TG ZM	16 10
9209	TG	16
9210	ZM	9
9210	TG	16
9211	WF	8
9211	TG FT	16 6
9212	TG	16
9214	FT	5
9214	TG	17
9215	ZM	9
9215	TG	17
9216 9216	ZM TG	10 17
9217	FT	5
9217	TG	17
9218	ZM	9
9218	TG	17
9219	ZM	9
9219 9220	TG WF	17 7
9220	TG	17
9221	FT	5
9221	TG	17
9223	FT	5
9223	TG	17

# **TECHNICAL SPECIFICATION**



PROPERTIES	Specified Values as per IS:2046-1995	VERIFIE
Thickness	1.00 mm (± 10%)	<b>✓</b>
Resistance to Surface wear	350 (Revolutions)	<b>✓</b>
Resistance to immersion in boiling water -Mass increase (%) -Thickness increase (%)	10.0% (Maximum) 11.8% (Maximum)	<b>/</b>
Resistance to dry heat 180°C	Not worse than 4	<b>✓</b>
Dimensional Stability at deviated temperature -Longitudinal (%) -Transverse (%)	0.5% (Maximum) 0.9% (Maximum)	<b>/</b>
Dimensional Stability at 20°C -Longitudinal (%) -Transverse (%)	0.375% (Maximum) 0.600% (Maximum)	✓ ✓
Resistance to impact by small diameter ball	20 N (Minimum)	<b>✓</b>
Resistance to cracking	Not worse than 4	
Resistance to scratching	2N (Minimum)	<b>✓</b>
Resistance to staining	Not worse than 5	<b>/</b>
Resistance to color change (Wool standard) -In xenon arc light -In enclosed carbon arc light	Not worse than 6 Not worse than 5	<i>'</i>
Resistance to cigarette burns	Not worse than 3	<b>✓</b>
Resistance to steam	Not worse than 4	<b>✓</b>
Appearance	should be free from foreign particals	<b>✓</b>



Do not use active acidic chemicals or sharp / wired brushes for cleaning the HPL Laminates surfaces



Avoid Direct sunlight / continuous light from the HPL Sheet These may cause to color fading due to UV Rays



Extra care required in vertical pasting of Laminated sheet as there is possibility of bubbles due to lack of uniform pressure



Cracking at corners & around cuts may be caused by improper conditioning, Improper bonding, poor planning. Avoid all these to prevent cracking at corners.



NO CLAIM WILL BE ENTERTAINED FOR AIR BUBBLES



NO CLAIM WILL BE ENTERTAINED FOR CRACKING ARISING OUR OF GROOVE CURRYING OR L. SHAPE

### **General Information:**

Product : High Pressure Decorative Laminated Sheets

Size : 2440mm x 1220mm (8x4 Feet)

Thickness : 1mm (other thickness available on request) Quality Standard : Design base paper are genuine imported.

Use of best quality kraft paper.

Use of 100% melamine resin and 100% phenolic resin.

Use of best chemicals and raw material for better flexibility & durability.

Limited Warranty : Rebecca warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviations, to related manufacturing specification. It excludes damage resulting from accidents, abuse or lock of care, improper use, or alterations.

We recommend doing a proper inspection of the product before installation and our liability is limited to the extent of the cost of the product only. Rebecca laminates are used for various applications, without possibility of control over the manufacturing of the finished product. The company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any

Care & Maintenance : Cleaning should be carried out with a soft moist cloth and warm solution. Do not use detergents containing abrasive particles or excess soda.

: (1) Samples presented are indicative of colour, pattern and surface finish but not of actual thickness.

(2) Finishes other than shown here are available on request.

### **Direction To Use:**

- before using the laminate, Ensure that the surface of plywood and laminate is clean, Dry, Leaved and free of oils, Excess moisture or other contaminants, Such as Dust,
- Always stir the adhesive before use. Sufficient adhesive must be applied on either or both the surfaces to be bonded. Do not add water to the adhesive as it makes the
- Once the adhesive applied if tacky in nature (Usually Requires 5-10 Minutes, depending on the atmospheric conditions), The laminate should be placed on the surface, accurately aligned.
- Apply sufficient bonding pressure to ensure intimate contact necessary for and adequate bond over the entire area using as much pressure as possible without damaging the assembly. Pinch (Rotary press) and heavy weighted rollers are ideal. Hand rolling should be done from the centre to the edges to ensure the removal of all air bubbles. Roll the edges twice.
- For satisfactory bonding, keep the area under pressure for 12-18 hours (Depending on atmospheric conditions). In rainy season or when humidity is too high, moisture may condense on the surface during drying (known as "Blushing") & will prevent an acceptable bond. Hot spray or forced air drying may be used to help prevent this condition.
- we recommend the maximum sheet size used for vertical field application be limited to 610x2440mm (2x8 Feet). If larger panels are required, fabricate them in the shop.
- When pasting laminate vertically, maintain uniform pressure on all sides until adhesive is dried. To avoid stress cracking, avoid making cut-outs having sharp & rough edges.
- Maintain a gap of 2mm between two laminated while pasting side-by-side.